

Good Hope SADDLERY



Good Hope



Jiaxing Good Hope Enterprise Co., Ltd

Address: Suite B 302, Central Plaza (E), Jiaxing, Zhejiang, China 314000

Tel: 86-573 83990586/7/9

Fax: 86-573 83990585

Email: Goodhope1967@163.com

Goodhope2010@live.cn

Index

Hardwares	1-8
Halters	9-11
Boots	12-13
Ropes&Leads	14-18
Girthes	19-20
Combs&Brushes	21-24
Boot Jacks	25
Hoof Picks	26
Scrapers	27
Haynet&Forks	28
Racks	29
Pliers	30
Livestocks	31
Wheel Barrow	32-51

5
SB/CB/ZNP



10L Shaft Tug
Buckle
SB/CB
3/4", 1", 1-1/8"



50
SB/CB



69
SB
5/8", 3/4", 1"



121
SB/CB/ZNP



123
SB/SBBK
1-1/8"



135 with Steel
Tongue
SB/CB/BK
1-3/8"



145
SB/CB
1/2", 5/8", 7/8", 1",
1-1/4"




147
SB/CB/ZNP




150
SB/CB
1/2", 5/8", 3/4",
1", 1-1/8", 1-1/4", 1-
1/2", 1-3/4"



160
SB/ZNP
3/4", 1"



162
SB/ZNP
5/8", 3/4", 1"



1515
SB/CB
1/2"



5705 Halter Buckle
SB/CB



312 Swedge Buckle
CB
1"



164
SB/ZNP
1"



310 Jumbo Buckle
SB/CB
1-1/4", 1-1/2"



718
SB/CB
3/4", 1-1/4",
1-1/2", 1-3/4"
H.H.P



132 Cart Buckle
SB/CB
1/2", 5/8", 3/4",
7/8", 1", 1-1/8",
1-1/4", 1-1/2"
H.H.P.



210
Conway Buckle
SB/CB/ZNP
1/2", 5/8", 3/4",
7/8", 1", 1-1/8", 1-
1/4", 1-1/2", 1-3/4", 2"



545 Conway Buckle
SB/CB
5/8", 3/4", 7/8", 1",
1-1/8", 1-1/4",
1-1/2", 1-3/4"



890
SB/CB
5/8", 3/4", 7/8"



1595
SB/CB
7/8", 1"
H.H.P




2481
SB/CB
1-1/4"



12SB/CB w/SS Tongue
12 SBB/CBB w/Brass
Tongue
12 ZNP
3/8", 1/2", 5/8", 3/4", 1", 1-1/4", 1-1/2"



49
SB/CB
1/2", 5/8", 3/4",
7/8", 1", 1-1/8",
1-1/4", 1-1/2", 1-3/4"



313
SB
1-1/4"



922
SB/CB/ZNP
3/4", 1"



Z923
NP
1/2", 5/8", 3/4", 1"



1105 w/SS Tongue
SB
1-1/4"



1135 Girth Buckle
NP/ST
1"



1300
SB
2-1/2"



1400
CB
1/2", 5/8", 3/4", 1"



1548
SB/CB
1-1/4", 1-1/2"
H.H.P.




1550
SB/CB
1-1/2"




1729
SB/CB
1-5/8"
H.H.P.



1990 Clipped Comer
Buckle
SB/CB/NB
1-1/4", 1-1/2", 1-3/4"
H.H.P



4330 Sam Browne
Buckle
SB/CB, 2-1/4"
1308 Hook Bar
SB/CB



400 Belt Buckle,
SB/CB
1-1/4", 1-1/2"



410 Belt Loops,
SB/CB
1-1/4", 1-1/2"



187 Rein Buckle
SB/CB
1", 1-1/8"



188 Rein Buckle
CB
1", 1-1/8"



405 Paul's Belt Tip
SB/CB
1-1/4", 1-1/2"



200
SB/CB
5/8", 3/4", 1", 1-1/8", 1-1/4", 1-1/2"



200R
SB/CB
1", 1/2"



226
DCNP
5/8", 3/4", 1"



228 Oval Eye
Snap
SB



231/232/240/245/250
SB
3-3/8", 4", 4-1/2", 5", 6"



249
SB
#1, #2, #3



251 SB
#1 5/8" x 3-11/16",
#2 3/4" x 3-7/8",
#3 3/4" x 4-3/8"



300
SB
1" x 4-1/4"



333 Bull Snap
NP/MI
1"



340
SB
1/2", 5/8", 1"



422 Bit Snap
SB/NB
1-3/4" / 4.5mm
1-3/4" / 6.0mm



830
SB
3/4"HV, 1"HV



830Z
BP/NP
5/8", 3/4", 1"



848Z
3/4", 1"



853/855 Chain
Snap
SB
3-3/4", 5-3/16"



1001
Panic Snap
SB
5/8"



1005Z
DC/NP
1"



2002
SB
3/4", 1"



2003
SB
3/4", 1"



893 French Snap
SB/CB
2-1/2" long



1605
SB
2"



2001 Triggs
Snap
SB/CB
3/4", 1", 1-1/8"



3141
SB
3/4"



3142
SB
DCNP
MI/NP
1"



5012 SB 3/8"
5013 SB/DCNP
1/2", 5/8", 3/4"



5015
SB/DCNP
1/2", 5/8", 3/4", 1"



5026
DCNP
1/2", 5/8", 3/4", 1"



Walsall Hook
1"



1050
SB
1/2", 5/8"



226 Mini Snap
SB
3/8"



17
SB/CB
3/4", 1"



215 Snap
SB
3/4", 1"



17
DCNP
3/4", 1"



56
SB/CB/DC
5/8", 3/4", 1"



57
SB/CB
3/4", 1"



60 Jack Strap
Snap
3/4", 1"



161/162/163 Double
Snap
SB/DC
3-1/2", 4", 4-1/2"



172/173
SB
4", 4-1/2"



225
SB/CB/DC



153 Breeching Dee
SB/CB
1-1/4" (5.8mm), 1-1/2" (7.0mm), 1-3/4" (8.0mm)



3,4,7 Ring
SB/CB
1/2", 5/8", 3/4", 7/8", 1", 1-1/8",
1-1/4", 1-1/2", 1-3/4", 2"



356 Square
SB/CB
5/8"x 3/4", 3/4"x 1-1/2",
7/8"x 1", 7/8"x 1-1/2",
1"x 1-1/4", 1-1/4" x 1-1/2",
1-1/2"x 1-3/4"




1984 Square Stamped Steel
NP/ST, BP/ST
3/4", 1"



369 Halter Square
SB/CB
5/8", 3/4", 7/8", 1", 1-1/8"



Z1669 2-sides Halter Square 1"
Z1959 2-sides Halter Square 3/4"



370 3-sides Halter Square
SB/CB
5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4"



Z1982 3-sides Halter Square
SB/BP/NP
3/4", 1" HV



497 Loop & Ring
SB
1/8" Loop, 1-1/4" Ring



499 Loop & Ring
SB/CB
3/4" Loop, 1-1/4" Ring
1" Loop, 1-3/8" Ring



1352 Surcingle Sets
2400 Slide
1-1/2", 2"



2300 Slide
NP/ST
1"



3250 Dee
NP/ST, BP/ST
3/4" (4.7mm), 7/8" (5.2mm),
1" (5.2mm), 1-1/8" (5.5mm),
1-1/4" (6.2mm), 1-1/2" (6.2mm),
1-3/4" (6.6mm), 2" (6.6mm)


896 Dee
SB/SB BK
1-3/4" (7.0mm)



917 Swivels
SB/CB
3/8"



62 Rope Thimbles
SB/CB 1/2", 5/8"
64 Rope Thimbles
Screw Eye SB



85 Side Loop
SB/CB
1/2", 5/8", 3/4", 1"



595 Loop
NP/ST
5/8"x 1/2", 3/4"x 1/2", 1"x 5/8"



325M Mast Style Dee
SB/CB
1/2", 5/8", 3/4", 7/8", 1"



325 Dee SB/CB
5/8" (3.8mm), 3/4" (4.0mm),
7/8" (4.2mm), 1" (4.5mm),
1-1/8" (5.5mm), 1-1/4" (6.0mm),
1-1/2" (6.5mm), 1-3/4" (7.1mm), 2"
(7.1mm), 4" (10.0mm)

1297
Sam Browne Dee
SB/CB
7/8" (3.5mm)



1144 Collar Fastener
Sets
SB/BK SB
1-1/4"



65 Peanut Rope
Adjuster SB
1/2"



891 Reversible Slides
CB/MB
3/4", 1", 1-1/2"



3900 Loop
NP/ST
1"x 9/16",
1-3/4"x 3/4",
2"x 1-3/16"



3255 Mini Screw Dee
SB
3/4" (6.3mm)



571 Dee SB/CB
1" (5.5mm)
571 Long Dee SB/CB
7/8" (4.2mm)



18 Round Eye
Swivel
SB
1/2", 3/4"



940 Rope Clamps
ZP/ST
3/4" x 1/2", 1" x
1-7/8", 1-3/8" x 2"



10151 Screw Eye
with Ring
ZP/ST
2" (3" Screw, 2" Ring)

1 Noseband
SB/CB
3-3/8", 5-3/8"



2613 McKinney Rein
Hook
SB/CB
5/16"



541 Line Holder
SB/CB
1-1/8" High x 2" OL



288 Horsehead Rosette
SB/CB
1-5/8" w/7/8" Loop

360 Tug Extender
Hook
SB
1-1/4", 1-1/2"



159 Layer Loop
SB/CB
3/4" x 1-9/16"
1" x 1-9/16"
1"-1/8" x 2"



668 Trace Carrier
SB/CB
1-1/4"



141 Halter Slides
SB/CB
1"



303 Line Spreader
Roller



158 Colorado Pad Bridge
SB/CB
4"
H.H.P.




354 Tug Barrier Plate
CB
1-1/2" x 4-3/8"

155 Layer Loop
SB/CB
3/4"



1070 Layer Loop
SB/CB
1-1/8" x 2-3/8"
1-1/4" x 2-3/8"




192 Twin Loop
SB/CB
5/8", 3/4", 7/8", 1",
1-1/8",
1-1/4", 1-1/2"



X9-12 Halter Slide
NP/ST
1"



308 Hook with Post
SB/CB
1" Strap Width
1-5/8" High



280 Rosette
SB/CB
1" w/3/4" Loop,
1-1/4" w/3/4" Loop,
1-5/8" w/7/8" Loop,
2" w/1-1/4" Loop,



1500 Crown Rosette
SB/CB
1-1/8"



156 Layer Loop
SB/CB
3/4"



667 Trace Carrier
SB/CB
1-1/2"



306 Trace Holder
SB



19300 Stall
Guard Slide
DCNP
2"



539 Breast Collar
Terret
CB/SB
1-1/2"



575 Terret
SB/CB
1-3/4"



590 Fancy Ball Terret
SB/CB
1-1/4"



Terret Nut



1382 Short Footman Loop
SB 1/4"x3/4"
1383 Tall Footman Loop
SB 3/8"x3/4"



1320 Stirrup Hanger
SB

393 Hame Top Loop
SB
2"



670 Round Trace Carrier
CB
2-3/4"



381 Gag Swivel
SB/CB
5/8", 3/4"



560 Breast Collar
Terret
SB/CB
1-5/8"



580 Swedge Terret
SB/CB
1-1/2"



789 Terret
SB/CB
1-1/8", 1-1/4"



600 Ring Holder
SB/CB
1-1/2"



10811 Halter Bolts
SB
1-1/4"



981 Pony Hame
Bottom Loop
SB



1073 Pole Strap Dee
SB
1-1/2", 1-3/4"



496 Mini Gag Loop
SB/CB
1/2"



537 Round Terret
SB/CB
1-1/2"



585 Band Terret
SB/CB
1-1/2"



926 Show Terret
SB/CB
1-3/4"



1380 Ring Holder
SB/NB
1-1/2"



1384 Saddle Bag Stud
SB



937 Hame Top Loop
SB
1-1/2"



SS Flat Saddle Dee
1", 1-1/4", 1-3/4"



SS Flat Saddle Ring
1-3/4", 3-1/2"



1116 Saddle Dee
SB
2-1/2"



Mini Heel Chain,
989 Screw Dee



910 Pear Hame Ball
SB/CB
2"(11/16" Hole)



SS Long Flat Saddle
Dee
2-1/2", 3", 3-1/2"



5053 Rigging Plate
SB
2"
H.H.P



945 Hame Ring
Special
CB



1552 S Round Hame Ball
SB/CB
2"(3/4" Hole)



1118 Beveled
Ringing Dee
SB
3", 3-1/2"



773 Concho
SB/CB
1", 1-1/4", 1-1/2"



890 Washers for
Hame Bolt Rollers SB
1/2"



94 Large Pulling Hame Ball
SB/CB
2-1/2"(3/4" Hole)



Lead Chain
SB/STBP/STNP
24", 30"



820S/920B Hame Ratchet
SB
Small/Large

Pulley
SB




805 Flexible Terret
SB



970 Holdback
Plate(left)
SB





H1001


Nylon Halters with Satin-finish or Golden finish
Zinc buckle and named logo Adjustable noseband
and throat strap quick opening.

Size: shetland, pony, cob, full, X-full

Nylon Ropes with Satin-finish or Golden finish
solid brass swivel snap and solid brass clamp
named logo, 2.4m long.

Satin-finish
black
peach
mint
lavender
baby blue
royal blue
navy blue
purple
dark grey

Golden-finish
dark red
orange
burgundy
dark pink
dark green
brown
teal





H1002



H1003



H1004



H1005



H1006



H1007



H1008



H1009



H2001

Braid Rope Halter & Lead

- w/Lead Rope 9'/10'
- w/Leather Popper
- w/Rawhide Noseband



H2006

Braid Rope

- w/5/8" Lead Rope 12'/15'
- w/Leather Popper



H2005

Braid Rope Halter



H2003

Double Color
Braid Rope Halter




H2004

Hard Rope Halter

H2002

Braid Rope Halter & Lead

- w/Leather Popper



H4000

Synthetic Bridle



H3001

Vaquero Headstalls



H5001

Headstalls
w/fleece



H5002

Headstalls



B2100
Neoprene Shipping Boots
S/M/L
BK/NV



B2200
Neoprene Support Boots
XS/S/M/L/XL
BL/NV




B2300
Neoprene Bell Boots Adjustable
S/M/L/XL
BK/NV



B2400
EVA Bell Boots
with Front Reinforcement



B3100
Rubber Over Reach Boots



B2501 Polo Bandages
B2502 Stable Bandages
B2503 Elastic Bandages
RD/BK/BL/BU/BR/HG/YL/GR/WH



B3201
Rubber Over Reach Boots
w/Single Velcro Closure

B3202
Rubber Over Reach Boots
w/Double Velcro Closures



B1401
Elite Tendon Boots
Color:Black/Brown/Grey



B1402
Elite Ankle Boots
Color:Black/Brown/Grey



B1201
New Style Tendon Boots



B1202
New Style Ankle Boots



B1101
Original Tendon Boots



B1102
Original Ankle Boots

B1301
Fleece Tendon Boots



B1302
Fleece Ankle Boots




Colors: Shell-Fleece	Color No.
Black/Black	03 03
Dark Red/Tan	15 51
Navy/Steel Blue	39 38
Tan/Chocolate	51 88
Chocolate/Sky Blue	88 33
Burgundy/Tan	16 51
Dark Grey/Pink	06 12
Olive/Tan	80 51
Brindel/Tan	08 61

Colors: Shell-Neoprene	Color No.
White/Black	02 03
Black/Black	03 03
Brown/Black	86 03
Navy/Black	39 03
Grey/Black	39 03
Burgundy/Black	16 03
Sky Blue/Chocolate	33 88
Chocolate/Sky Blue	88 33
Olive/Tan	80 51
Brinde/Tan	08 61

Colors: Shell-Neoprene	Color No.
White/Black	02 03
Black/Black	03 03
Grey/Black	05 03
Dark Grey/Pink	06 12
Brindle/Tan	08 61
Dark Red/Tan	15 51
Burgundy/Grey	16 05
Rust/Olive	20 80
Sky Blue/Tan	33 51
Steel Blue/Tan	38 51
Navy/Steel Blue	39 38
Tan/Chocolate	51 88
Mint/Chocolate	74 88
Teal/Chocolate	75 88
Dark Green/Khaki	79 77
Olive/Rust	80 20
Olive/Tan	80 51
Brown/Tan	86 51
Chocolate/Sky Blue	88 33
Purple/Lavender	90 94
Lavender/Purple	94 90

L6100-Poly Braid Lead Rope(18 Strands)


Solid Color






Two- Color




Three/Four- Color



Confetti




Variegated



L6200-Poly Braid Lead Rope(16,20,32 Strands)

Solid Color



Poly Lead Ropes With a Variety Option Of Hardware, Color, Pattern and Length.

Length:

- 180/200/250/300cm,
- 200'/400'/600'

Rope Diameter:

- 3/8"(10mm),
- 5/8"(16mm),
- 3/4"(19mm)

Snap:

- With 225 solid brass snap 1-1/4", 1-1/8", 1"
- With 225 die cast Zinc snap BP 1-1/8", 1", 3/4"
- With 3142 bull snap SB and MINP
- With 24", 30" Lead Chain

Two- Color



Three/Four- Color



Lattice



Rainbow



Diamond





Rainbow



Confetti



Rainbow



Hunter Green/Navy



Black/Red



Pink/Light Pink



Purple/Lavender

Royal Blue



Lime/Yellow



Confetti Cotton Lead Rope



L1100

Cotton Lead Rope w/Snap



L1001

Cotton Lead Rope w/Lead Chain





L2402

5/8" Lead Ropes 12'/15'
w/Leather Popper




L2102

Poly Rope Trailer Tie



L2200

Adjustable Leg Straps



L2101

Bungee Trailer Ties
Burgundy/Navy/Hunter Gr.



L2300

Horse Ball Pickup Strap TN/PK

L2401

5/8" Lead Ropes 12'/15'
w/Snap



L2003

Braided Rawhide Ramal



L2004

Vaquero Roper Reins



L2001

Spring Rein



L2005

Ranch Ropes



L2002

Vaquero Split Reins



S5001-170

2" Web Stall Guard



Cotton Webbing Lunge Lines
L3101 w/Lead Chain
L3102 w/Snap



L3500 Split Reins



L3300
 American Lead Rope



L3201 Flat Nylon Lunge Lines
 w/Snap



L3202 Flat Nylon Lunge Lines
 w/Lead Chain



L3400
 Three Overlaps Webbing Lead
 w/Lead Chain



L3600 Nylon Tie Down Straps
 in Variety Colors


L3801
 PVC Web Curb Straps BK/BR



L3802
 Leather Curb Straps BK/BR



L3803
 PVC Web Curb Straps BK/BR



L3804
 PVC Web Curb Straps BK/BR



L3805
 Nylon/Poly Web Curb Straps in Variety Colors



L3806
 Nylon/Poly Web Curb Straps in Variety Colors



L3702
 Double Layers Poly Billets BK/BR



L3701
 Single Layers Poly Billets BK/BR

English Girthes

G1001 Nylon Rope Girth, 14 Strands Tubkar Nylon Cords
90/100/110/120/125/130cm Black/White



G1002 Webb Girth 100/110/115/120/125/130/140cm
Black/Brown



G1003 EVA Girth 100/110/115/120/125/130/135/
140/145/cm Black/Brown



G1004 Comfort Elastic Girth 85/95/105/115/125/135/
145cm Black/Brown



G1005 ALFAGEI Shaped Girth 115/125/135/145cm,
Black/Brown



G1006 Short Webb Girth 50/60/70cm Black/Brown



Western Girthes

Size:30"(75cm).32"(80cm).34"(85cm).36"(90cm).



G2001 Neoprene Western Girth



G2002 Neoprene Western Girth



G2003 Comfort Western Girth



G2004 Fleece Western Girth

Western Rope Girthes

G3001 Western Rope Girth, 27 strands Rope
Woollen/Acrylic Material




G3002 Western Rope Girth, 27 strands Rope
Woollen/Acrylic Material



G3003 Western Rope Girth, 27 strands Rope
Woollen/Acrylic Material



G3004 Mini Western Rope Girth, 17 strands Rope
Woollen/Acrylic Material
50cm/60cm



G3005 Mini Western Rope Girth, 17 strands Rope
Woollen/Acrylic Material
50cm/60cm



Size:30"(75cm).32"(80cm).34"(85cm).36"(90cm).



G3006 Western Rope Girth, 17 strands Rope
Woollen/Acrylic Material



G3007 Western Rope Girth, 17 strands Rope
Woollen/Acrylic Material




G3008 Western Rope Girth, 17 strands Rope
Woollen/Acrylic Material



G3009 Western Rope Girth, 17 strands Rope
Woollen/Acrylic Material



C1003-101A



C1003-101B



C1003-102



C1003-103



C1003-104



C1003-105



C1003-106



C1003-107




C1003-108



C1003-109



C1003-110



C1003-111



C1003-112



C1003-113



C1003-114



C1003-115



C1003-116



C1003-117



C1003-118



C1003-119



C1003-120




C1003-121



C1003-122



C1003-123



C1003-124

Aluminium Tail Comb



C1002-125



C1002-127



C1002-126



C1002-128



C1002-129



C1002-130

C1003-144A
Rubber Bands(500pcs)C1003-144B
Rubber Bands w/Comb(250pcs)




C2003-052
Soft Plastic Curry Comb



C2003-053
Plastic Curry Comb S/M/L



C2004-063
Rubber Curry Comb S/L
C2004-064
Rubber Curry Comb With Dot




C2003-055
Round Plastic Curry Comb




C2003-054
Plastic Curry Comb with Hose



C2004-066
Foot Shaped Rubber Curry Comb



C2003-056
Hard Plastic Curry Comb



C2004-061
Hand Shaped Rubber Curry Comb




C2004-059
Grooming Brush and Glove



C2003-057
Small&Large
Transparent Plastic Curry Comp




C2003-058
Grooming Brush and Glove



C2004-062
Rubber Groomer



C2004-060
Oval Metallic Curry Comb



C2003-175
Gripping Curry Comb Stone



C2003-176
Gripping Curry Comb Fine



C2003-177
Gripping Curry Comb Fine



C2003-174
Gripping Curry Comb Coarse



C5003-073
Plastic Dandy Brush L/S



C5003-076
Plastic Dandy Brush
w/Long Bristles



C5003-077
Body Brush Wood or Plastic
Handle



C5003-078
Plastic Back Dandy Brush with
Webbing Handle



C5003-079
Plastic Brush



C5003-182
Plastic Feed Scoop



C5003-178
Plastic Feed Scoop



C5003-179
Plastic Feed Scoop



C5005-092
Mini Roland Brush With web handle



C5005-093
Mexican Whisk
Dandy Brush Large/Small



C5005-094
Face Brush



C5005-095
Hoof Brush



C5005-096
Wood Back Dandy Brush
Large/Small/Medium



C5005-091
Hoof Brush w/hook



C5003-175
Plastic Washing Brush



C5003-181
Plastic Washing Brush




C5003-082
Plastic Body Brush, L/S



C5003-080
Plastic Body Brush, w/hole




C5003-088
Acrylic Dandy Brush



C5003-081
Floor Brush

Six Surfaces Could be Chooosed



C5005-184



C5005-084



C5005-085

C5005-185
Gripping Face Brush w/Long BristlesC5005-173
Gripping Face BrushC5005-083
Hoof Brush w/Clip

C5005-079C



C5005-100



C5005-183



C5005-086



C5005-087



C5005-090



C5005-089

A



B



C



D



E



F

C5103-169
Set PackageC5103-168
Grooming BoxC5103-097
Set PackageC5103-172
Grooming BoxC5103-099
Set PackageC5103-098
Set Package



S5001-074
Boot Hooks, Left/Right Plastic Handle



S5005-072
Wood Boot Jack




S5003-068
Plastic Boot Jack Vinyl Covered




S5003-069
Transparent Plastic
Boot Jack

S5005-071
Boot Jack Varnished Wood



S5003-070
Plastic Boot Jack



S5005-075
Wooden Boot Cleaner



C2004-065
Rubber Grooming Glove



C2004-067
Rubber Glove Groomer

C1003-140B
Florescence Hoof Picks



C3003-139




C3003-141



C3003-142



C3003-143



C3003-131



C3003-138



C3003-132



C3003-137



C3003-133



C3003-134



C3003-135



C3003-136



C3003-140A



C4003-039
Plastic Sweat Scraper Comb



C4003-040
Plastic Sweat Scraper Comb



C4001-163(4 Rings)



C4003-041
Plastic Sweat Scraper



C4003-042
Plastic Sweat Scraper



C4001-165
Stainless Steel Shading Blade



C4001-043
Stainless Steel Deluxe Sweat Scraper




C4001-044
Metallic Curry Comb



C4001-166(2 ring)

C4001-167(1 ring)
Stainless Steel
Shading Blade with Soft
Handle




C4001-045
Square Metallic Curry Comb



C4001-046
Metallic Curry Comb



C4001-047
Square Metallic Curry Comb



C4001-048
Square Metallic Curry Comb



C4003-049
Plastic Sweat Scraper



C4002-050
Aluminium Sweat Scraper



C4003-051
Florescence Sweat Scraper

**S4003-020**

Plastic Fork

**S4003-021**

Plastic Fork (Large)

**S4003-022**

Plastic Fork (Small)

**S4003-023**

Plastic Fork (Ex-Large)

**S4003-024**

Transparent Plastic Fork

**S4003-025**

Plastic "D" Handle

S4003-026


Plastic Trangle Handle

**S4003-027** (100cm)
Metal Fork Tube**S4003-028** (120cm)**S4003-029**

Metal Fork

**S4015-030**

Hay Bag Polyester 1200D

**S4007-031**Poly Hay Net with NP Rings
WH/BU/BL/BK/HG/NV
RD/YL
32"/36"/40"/42"/45"**S6008-035**

Cotton Fly Fringes

**S6008-036**

Fly Mask

**S6008-037**

Fly Mask

**S4006-034**Cotton Hay Net
32"/36"/40"/42"/45"**S4007-032**

Poly Hay Net

**S4007-033**Poly Hay Net BK
32"/36"/40"/42"/45"**S4006-038**

Saddle Bags



S1003-001
PVC Bridle Bracket



S1001-003
Metal Bridle Bracket w/PVC Coated



S2001-013
Folding Saddle Rack
BK/RD/HG



S1003-002
PVC Bridle Bracket



S1003-004
Metal Bridle Bracket



S2001-014
Saddle Rack, BK/RD/BL/HG



S3001-005
Susets Hooks



S7001-009
Salt Holder



S7001-010
Salt Holder



S3001-006
4-Prong Cleaning Hook



S2001-015
Folding Saddle Rack BK,R



S2001-016
Saddle Rack BK




S7001-011
Bucket Holder BK/RD



S2001-012
Saddle Display Stand(Folding)
BK/NV/BL



S2001-017
Folding Saddle Rack BK/RD



S2001-018
Folding Saddle Rack BK/RD



S3001-007
Portable Wire Hanger BK/RD



S3001-008
Portable Hanger BK/RD



S2001-019
Saddle Rack BK



K2001-145 Top-Cutter Plier 16"



K2001-146 Black Steel Crocodile Plier 13" w/o coated handle



K2001-147 Nail Nipper 12"



K2001-148 Black Steel Crocodile Plier 14"



K2001-149 Hammer-Top 12"



K2001-150 Fence Plier 9"/12"/10.5"




K2001-151 Top Cut Plier 6"/8"/10"/12"




K3001-154 Driving Hammer



K3001-155 Clinch Cutter



K2001-152 Stainless Steel Punch Plier 8"



K2001-153 Pressed Punch Plier



K1001-156 Comb Knife



K1001-157 Multifunction Knife



K1001-158 Hoof Knife Double Plastic Handle



K1001-159 Hoof Knife Left/Right Plastic Handle



K1001-160 Hoof Knife Double Plastic Handle



K1001-161 Double Woodhandle Knife



Hoof Knife

K1001-162R w/Right Wood Handle
K1001-162L w/Left Wood Handle



L9002
Two Dog Coupers(12"/24")

Sparkle OverLap



Sparkle OverLap

H9004
Pet Collar



L9001
Pet Leashes

L9004
Goat Leads



L9005
Goat Leads



H9005
Cow Halters

L9003
Fence Tie



H9001
Poly Rope Sheep Halters



H9002
Adjustable Poly Neck Ropes
for Livestock



H9003
Poly Rope Halters
for Cow

A solid wheelbarrow for the smallest children
capacity of the red painted pan is 13 liters
Packed in a colourful box.



WB0402
Load Capacity(kg): 10
Water Capacity(L):13
Sand Capacity(CBF):0.8
Wheel: 6 " × 1 " Solid
L/H/C/A/B/h: 815×300×350×520×408×95
QTY: 2200 PCS /40' GP



WB0400



WB0601P



WB0401



WB0403

- WB0400
Load Capacity(kg): 5
Water Capacity(L):11
Sand Capacity(CBF):0.8
Wheel: 8 " × 1.75 " Solid
L/H/C/A/B/h:
815×300×350×520×408×95
QTY: 2200 PCS /40' GP

- WB0401
Load Capacity(kg): 10
Water Capacity(L):11
Sand Capacity(CBF):0.8
Wheel: 8 " × 1.75 " Solid
L/H/C/A/B/h:
830×245×325×520×408×95
QTY: 2200 PCS /40' GP

- WB0403
Load Capacity(kg): 20
Water Capacity(L):13
Sand Capacity(CBF):0.8
Wheel: 200×50
L/H/C/A/B/h:
755×320×295×500×385×90
QTY: 2000 PCS /40' GP

- WB0601P
Load Capacity(kg): 10
Water Capacity(L):21
Sand Capacity(CBF):1
Wheel: 8 " × 1.75 " Solid
L/H/C/A/B/h:
852×320×292×590×432×218
QTY: 2400 PCS /40' GP



- 1、WB0604P
Load Capacity(kg): 10
Water Capacity(L):21
Sand Capacity(CBF):1
Wheel: 8 " × 2.00-4 Air
L/H/C/A/B/h: 860×326×314×580×410×215
QTY: 2400 PCS /40' GP
- 2、WB0605P
Load Capacity(kg): 10
Water Capacity(L):21
Sand Capacity(CBF):1
Wheel: 10 " × 3.00-4 Air
L/H/C/A/B/h: 855×250×320×520×405×215
QTY: 540 PCS /40' GP
- 3、WB0606P
Load Capacity(kg):20
Water Capacity(L):21
Sand Capacity(CBF):1
Wheel: 8 " × 1.75 " Solid
L/H/C/A/B/h: 865×325×295×580×430×215
QTY: 2200 PCS /40' GP
- 4、WB2101
Load Capacity(kg):40
Water Capacity(L):30
Sand Capacity(CBF):1.8
Wheel: 10 " × 3.00-4 Air
L/H/C/A/B/h: 1220×540×500×690×535×165
QTY: 816 PCS /40' GP
- 5、WB2102
Load Capacity(kg):60
Water Capacity(L):30
Sand Capacity(CBF):1.8
Wheel: 10 " × 3.00-4 Air
L/H/C/A/B/h: 970×590×285×690×535×165
QTY: 816 PCS /40' GP

TC0997
Load Capacity: 5kg
Wheel: 7" × 1.5" Solid
Body Size: L915×H650×C985
QTY: 2000 PCS /40' GP

TC1001A
Load Capacity:10kg
Wheel: 200×50
Body Size: L705×H340×C490
QTY: 2100 PCS /40'GP

6、WB2103
Load Capacity(kg):60
Water Capacity(L):30
Sand Capacity(CBF):1.8
Wheel: 8 " × 1.75 " Solid
L/H/C/A/B/h:
1210×580×315×690×535×165
QTY: 816 PCS /40' GP





WB2701



WB2712



WB2703



WB2706

- WB2701
Load Capacity(kg):100
Water Capacity(L):43.1
Sand Capacity(CBF):2.7
Wheel: 13 " × 3 " Solid
L/H/C/A/B/h: 1340×518×575×785×715×194
QTY: 2400 PCS /40' GP
- WB2703
Load Capacity(kg):100
Water Capacity(L):43.1
Sand Capacity(CBF):2.7
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1340×518×575×785×715×194
QTY: 2400 PCS /40' GP
- WB2706
Load Capacity(kg):100
Water Capacity(L):43.1
Sand Capacity(CBF):2.7
Wheel: 13 " × 3.25-8 Air
L/H/C/A/B/h: 1415×395×505×770×675×190
QTY: 900 PCS /40' GP
- WB2712
Load Capacity(kg):60
Water Capacity(L):37.6
Sand Capacity(CBF):2.7
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1380×445×535×810×690×153
QTY: 900 PCS /40' GP



WB2707 Load Capacity(kg):100
Water Capacity(L):43.1
Sand Capacity(CBF):2.7
Wheel: 13 " × 3.25-8 Air
L/H/C/A/B/h:
1415×395×505×770×675×190
QTY: 900 PCS /40' GP



WB2709 Load Capacity(kg):100
Water Capacity(L):43.1
Sand Capacity(CBF):2.7
Wheel: 13 " × 3.25-8 Air
L/H/C/A/B/h:
1415×470×605×770×675×190
QTY: 900 PCS /40' GP



WB2709B Load Capacity(kg):100
Water Capacity(L):43.1
Sand Capacity(CBF):2.7
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h:
1415×470×605×770×675×190
QTY: 900 PCS /40' GP



WB3501



WB3502



WB3502B



WB3502C



WB3503AL



WB3504

- WB3503AL
Load Capacity(kg):120
Water Capacity(L):61.1
Sand Capacity(CBF):3.5
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1275×540×515×790×510×300
QTY: 780 PCS /40' GP
- WB3504
Load Capacity(kg):100
Water Capacity(L):40
Sand Capacity(CBF):2.5
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1250×625×310×820×332×305
QTY: 330 PCS /40' GP

- WB3501
Load Capacity(kg):120
Water Capacity(L):61.1
Sand Capacity(CBF):3.5
Wheel: 13 " × 3.25-8 Air
L/H/C/A/B/h: 1360×590×500×775×500×290
QTY: 900 PCS /40' GP
- WB3502
Load Capacity(kg):120
Water Capacity(L):61.1
Sand Capacity(CBF):3.5
Wheel: 13 " × 3.25-8 Air
L/H/C/A/B/h: 1285×605×540×790×515×280
QTY: 840 PCS /40' GP
- WB3502B
Load Capacity(kg):120
Water Capacity(L):61.1
Sand Capacity(CBF):3.5
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1285×572×522×790×515×280
QTY: 840 PCS /40' GP
- WB3502C
Load Capacity(kg):120
Water Capacity(L):61.1
Sand Capacity(CBF):3.5
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1275×635×525×790×515×280
QTY: 780 PCS /40' GP



WB2709C Load Capacity(kg):100
Water Capacity(L):43.1
Sand Capacity(CBF):2.7
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h:
1415×470×605×770×675×190
QTY: 900 PCS /40' GP



WB2711 Load Capacity(kg):100
Water Capacity(L):43.1
Sand Capacity(CBF):2.7
Wheel: 13 " × 3.25-8 Air
L/H/C/A/B/h:
1415×395×505×770×675×190
QTY: 840 PCS /40' GP



WB2711A Load Capacity(kg):100
Water Capacity(L):43.1
Sand Capacity(CBF):2.7
Wheel: 13 " × 3.25-8 Air
L/H/C/A/B/h:
1415×395×505×770×675×190
QTY: 900 PCS /40' GP



WB3001
 Load Capacity(kg):120
 Water Capacity(L):54
 Sand Capacity(CBF):3
 Wheel: 13 " × 3 " Solid
 L/H/C/A/B/h:
 1350 × 560 × 535 × 765 × 482 × 260
 QTY: 2400 PCS /40' GP



WB3003
 Load Capacity(kg):120
 Water Capacity(L):54
 Sand Capacity(CBF):3
 Wheel: 13 " × 3.00-8 Air
 L/H/C/A/B/h:
 1350 × 560 × 535 × 765 × 482 × 260
 QTY: 2400 PCS /40' GP

WB3002

Load Capacity(kg):120
 Water Capacity(L):54
 Sand Capacity(CBF):3
 Wheel: 13 " × 3 " Solid
 L/H/C/A/B/h:
 1350 × 560 × 535 × 765 × 482 × 260
 QTY: 2400 PCS /40' GP



WB3004

Load Capacity(kg):120
 Water Capacity(L):54
 Sand Capacity(CBF):3
 Wheel: 13 " × 3.00-8 Air
 L/H/C/A/B/h:
 1350 × 560 × 535 × 765 × 482 × 260
 QTY: 2400 PCS /40' GP



WB3005

Load Capacity(kg):120
 Water Capacity(L):54
 Sand Capacity(CBF):3
 Wheel: 13 " × 3.00-8 Air
 L/H/C/A/B/h:
 1310 × 530 × 505 × 765 × 482 × 260
 QTY: 2400 pcs /40' GP



WB3006P

Load Capacity(kg):100
 Water Capacity(L):52
 Sand Capacity(CBF):3
 Wheel: 13 " × 3 " Solid
 L/H/C/A/B/h:
 1400 × 570 × 540 × 800 × 540 × 250
 QTY: 2000 PCS /40' GP



WB3007P

Load Capacity(kg):100
 Water Capacity(L):52
 Sand Capacity(CBF):3
 Wheel: 13 " × 3.00-8 Air
 L/H/C/A/B/h:
 1400 × 570 × 540 × 800 × 540 × 250
 QTY: 2000 PCS /40' GP



WB3008P
Load Capacity(kg):100
Water Capacity(L):52
Sand Capacity(CBF):3
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h:
1390×520×620×800×540×250
QTY: 2000 PCS /40' GP



WB4001
Load Capacity(kg):130
Water Capacity(L):53.5
Sand Capacity(CBF):4
Wheel: 13 " × 3 " Solid
L/H/C/A/B/h:
1430×598×540×938×708×264
QTY: 2400 PCS /40' GP



WB4002
Load Capacity(kg):130
Water Capacity(L):53.5
Sand Capacity(CBF):4
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h:
1430×595×540×938×708×264
QTY: 2400 PCS /40' GP



WB4005
Load Capacity(kg):130
Water Capacity(L):60
Sand Capacity(CBF):4
Wheel: 13 " × 3 " Solid
L/H/C/A/B/h:
1415×480×520×830×680×230
QTY: 2400 PCS /40' GP



WB4006
Load Capacity(kg):130
Water Capacity(L):60
Sand Capacity(CBF):4
Wheel: 13 " × 3 " Solid
L/H/C/A/B/h:
1415×480×520×830×680×230
QTY: 2400 PCS /40' GP



WB4007
Load Capacity(kg):130
Water Capacity(L):60
Sand Capacity(CBF):4
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h:
1415×480×520×830×680×230
QTY: 2400 PCS /40' GP



WB4008
Load Capacity(kg):130
Water Capacity(L):60
Sand Capacity(CBF):4
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h:
1415×480×520×830×680×230
QTY: 2400 PCS /40' GP



WB4010
 Load Capacity(kg):130
 Water Capacity(L):60
 Sand Capacity(CBF):4
 Wheel: 14 " × 3.50-8 Air
 L/H/C/A/B/h: 1440×550×550×830×680×230
 QTY: 1900 PCS /40' GP



WB4011
 Load Capacity(kg):130
 Water Capacity(L):60
 Sand Capacity(CBF):4
 Wheel: 14 " × 3 " Solid
 L/H/C/A/B/h: 1425×565×520×810×660×230
 QTY: 1900 PCS /40' GP



WB4010-1
 Load Capacity(kg):130
 Water Capacity(L):60
 Sand Capacity(CBF):4
 Wheel: 14 " × 3 " Solid
 L/H/C/A/B/h: 1410×515×535×810×660×230
 QTY: 1900 PCS /40' GP



WB4015
 Load Capacity(kg):130
 Water Capacity(L):68
 Sand Capacity(CBF):4.6
 Wheel: 13 " × 3.00-8 Air
 L/H/C/A/B/h: 1460×620×550×940×545×250
 QTY: 1600 PCS /40' GP



WB4017
 Load Capacity(kg):130
 Water Capacity(L):60
 Sand Capacity(CBF):4
 Wheel: 14 " × 3.50-8 Air
 L/H/C/A/B/h: 1410×730×525×815×665×230
 QTY: 1900 PCS /40' GP



WB4018
Load Capacity(kg):130
Water Capacity(L):60
Sand Capacity(CBF):4
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1530 × 490 × 605 × 820 × 655 × 190
QTY: 1400 PCS /40' GP



WB5007
Load Capacity(kg):150
Water Capacity(L):58
Sand Capacity(CBF):3
Wheel: 13 " × 3 " Solid
L/H/C/A/B/h: 1420 × 510 × 540 × 825 × 605 × 255
QTY: 1480 PCS /40' GP



WB3010
Load Capacity(kg):80
Water Capacity(L):54
Sand Capacity(CBF):3
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1175 × 735 × 420 × 765 × 482 × 260
QTY: 1800 PCS /40' GP



WB3011
Load Capacity(kg):100
Water Capacity(L):63
Sand Capacity(CBF):3.5
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h: 1470 × 475 × 490 × 850 × 600 × 213
QTY: 2000 PCS /40' GP



WB3012

WB3012
Load Capacity(kg):80
Water Capacity(L):54
Sand Capacity(CBF):3
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1255 × 585 × 540 × 765 × 482 × 260
QTY: 1800 PCS /40' GP



WB3013
Load Capacity(kg):80
Water Capacity(L):54
Sand Capacity(CBF):3
Wheel: 12 " × 1.75 " Solid
L/H/C/A/B/h: 1105 × 780 × 330 × 765 × 482 × 260
QTY: 1800 PCS /40' GP



WB3020
Load Capacity(kg):100
Water Capacity(L):60
Sand Capacity(CBF):4
Wheel: 13 " × 3 " Solid
L/H/C/A/B/h: 1460 × 640 × 505 × 815 × 530 × 245
QTY: 2600 PCS /40' GP

2-Wheel Steel Dump Cart
Contents: Dump Cart
Steel Construction with Powder Coated Green Finish
Foam Grip Handle



WB4024
 Water Capacity(L):62.5
 Sand Capacity(CBF):3.5
 Wheel: 13 " × 3.50-6 Air
 L/H/C/A/B/h:
 1305 × 620 × 585 × 815 × 610 × 215
 QTY: 2400 PCS /40' GP
 60Litre Capacity
 100KG Max Load Capacity



Wheelbarrow 60Litre Capacity
 Zinc Steel Construction
 100KG Max Load Capacity



WB4024A
 Load Capacity(kg):100
 Water Capacity(L):62.5
 Sand Capacity(CBF):3.5
 Wheel: 13 " × 3.50-6 Air
 L/H/C/A/B/h:
 1305 × 620 × 585 × 815 × 610 × 215
 QTY: 2400 PCS /40' GP



WB4026
 Load Capacity(kg):120
 Water Capacity(L):62.5
 Sand Capacity(CBF):3.5
 Wheel: 13 " × 3.50-6 Air
 L/H/C/A/B/h:
 1355 × 625 × 560 × 815 × 610 × 215
 QTY: 1920 PCS /40' GP



WB4016
 Load Capacity(kg):150
 Water Capacity(L):68
 Sand Capacity(CBF):4.6
 Wheel: 14 " × 3.50-8 Air
 L/H/C/A/B/h:
 1510 × 576 × 550 × 940 × 550 × 250
 QTY: 1296 PCS /40' GP



WB4022
 Load Capacity(kg):60
 Water Capacity(L):62.7
 Sand Capacity(CBF):4
 Wheel: 14 " × 3.50-8 Air
 L/H/C/A/B/h:
 1290 × 550 × 560 × 820 × 665 × 245
 QTY: 1600 PCS /40' GP



WB4028
 Load Capacity(kg):150
 Water Capacity(L):62.5
 Sand Capacity(CBF):3.5
 Wheel: 14 " × 3.50-8 Air
 L/H/C/A/B/h:
 1525 × 560 × 540 × 835 × 565 × 220
 QTY: 2400 PCS /40' GP



WB4029
Load Capacity(kg):120
Water Capacity(L):62.5
Sand Capacity(CBF):3.5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1460×555×540×915×685×270
QTY: 1920 PCS /40' GP



WB4510
Load Capacity(kg):150
Water Capacity(L):66
Sand Capacity(CBF):4.5
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h:
1335×685×555×910×630×210
QTY: 800 PCS /40' GP



WB4511P
Load Capacity(kg):150
Water Capacity(L):66
Sand Capacity(CBF):4.5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1295×735×320×890×660×215
QTY: 1800 PCS /40' GP



WB5006
Load Capacity(kg):150
Water Capacity(L):75
Sand Capacity(CBF):4.5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1505×480×600×945×605×315
QTY: 900 PCS /40' GP



WB5007P
Load Capacity(kg):150
Water Capacity(L):80
Sand Capacity(CBF):4.5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1295×735×320×890×660×215
QTY: 1400 PCS /40' GP



WB5008
Load Capacity(kg):150
Water Capacity(L):75
Sand Capacity(CBF):4.5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1425×695×590×950×570×320
QTY: 960 PCS /40' GP



WB5009
Load Capacity(kg):150
Water Capacity(L):75
Sand Capacity(CBF):4.5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1425×630×555×860×600×280
QTY: 1500 PCS /40' GP



WB5009A
Load Capacity(kg):100
Water Capacity(L):75
Sand Capacity(CBF):4.5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1300×625×595×860×600×280
QTY: 1500 PCS /40' GP



WB5010
Load Capacity(kg):150
Water Capacity(L):75
Sand Capacity(CBF):4.5
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h:
1295×645×505×860×600×280
QTY: 1500 PCS /40' GP



WB5011

WB5011
Load Capacity(kg):150
Water Capacity(L):85
Sand Capacity(CBF):4.5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1495×650×605×905×565×270
QTY: 960 PCS /40' GP



WB5017

WB5017
Load Capacity(kg):120
Water Capacity(L):75
Sand Capacity(CBF):4.5
Wheel: 13 " × 4.00-6 Air
L/H/C/A/B/h:
1400×710×590×860×600×280
QTY: 1500 PCS /40' GP



WB5014
Load Capacity(kg):150
Water Capacity(L):75
Sand Capacity(CBF):4.5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1465×605×535×860×600×280
QTY: 960 PCS /40' GP



WB6080



WB6100



WB6090



WB5302

Load Capacity(kg):150
Water Capacity(L):75
Sand Capacity(CBF):4.5
Wheel: 14 " $\times$ 3.50-8 Air
L/H/C/A/B/h: 1375 $\times$ 560 $\times$ 525 $\times$ 860 $\times$ 600 $\times$ 280
QTY: 940 PCS /40' GP

WB5302S

Load Capacity(kg):150
Water Capacity(L):75
Sand Capacity(CBF):4.5
Wheel: 16 " $\times$ 4 " Solid
L/H/C/A/B/h: 1375 $\times$ 625 $\times$ 515 $\times$ 860 $\times$ 600 $\times$ 280
QTY: 940 PCS /40' GP



WB6001P

Load Capacity(kg):150
Water Capacity(L):84
Sand Capacity(CBF):5
Wheel: 16 " $\times$ 4.00-8 Air
L/H/C/A/B/h: 1540 $\times$ 480 $\times$ 535 $\times$ 940 $\times$ 700 $\times$ 310
QTY: 800 PCS /40' GP

WB5020

Load Capacity(kg):150
Water Capacity(L):85
Sand Capacity(CBF):4.5
Wheel: 16 " $\times$ 4.00-8 Air
L/H/C/A/B/h: 1400 $\times$ 575 $\times$ 595 $\times$ 905 $\times$ 565 $\times$ 270
QTY: 1900 PCS /40' GP



WB5019

Load Capacity(kg):150
Water Capacity(L):75
Sand Capacity(CBF):4.5
Wheel: 16 " $\times$ 4.00-8 Air
L/H/C/A/B/h: 1460 $\times$ 635 $\times$ 645 $\times$ 860 $\times$ 600 $\times$ 280
QTY: 1500 PCS /40' GP

WB6015
 Load Capacity(kg):180
 Water Capacity(L):95
 Sand Capacity(CBF):6
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h:
 1525×630×540×940×650×290
 QTY: 750 PCS /40' GP



WB6016



WB6113P



WB6114P



WB6501P




WB6007P



WB6502P


- **WB6016**
 Load Capacity(kg):150
 Water Capacity(L):95
 Sand Capacity(CBF):6
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h: 1535×585×585×940×650×290
 QTY:1400 PCS /40' GP
- **WB6113P**
 Load Capacity(kg):120
 Water Capacity(L):84
 Sand Capacity(CBF):5
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h: 1530×500×575×1020×680×340
 QTY: 432 PCS /40' GP
- **WB6114P**
 Load Capacity(kg):150
 Water Capacity(L):84
 Sand Capacity(CBF):5
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h: 1570×510×560×1020×680×340
 QTY: 750 PCS /40' GP
- **WB6501P**
 Load Capacity(kg):180
 Water Capacity(L):114
 Sand Capacity(CBF):7
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h: 1575×555×520×980×710×380
 QTY: 800 PCS /40' GP
- **WB6007P**
 Load Capacity(kg):150
 Water Capacity(L):84
 Sand Capacity(CBF):5
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h: 1500×615×550×1020×680×340
 QTY: 800 PCS /40' GP
- **WB6502P**
 Load Capacity(kg):180
 Water Capacity(L):114
 Sand Capacity(CBF):7
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h: 1560×585×515×980×710×380
 QTY: 950 PCS /40' GP




WB4014



WB4017P



WB4018P



WB4019



WB4032



WB4501



WB4502



WB4503



WB4505



WB4506



WB4507

- WB4014 Load Capacity(kg):100
Water Capacity(L):62.7 Sand Capacity(CBF):4
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h: 1430 × 505 × 545 × 930 × 688 × 220
QTY: 1000 PCS /40' GP
- WB4017P Load Capacity(kg):100
Water Capacity(L):60 Sand Capacity(CBF):4
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1500 × 570 × 540 × 950 × 700 × 185
QTY: 1000 PCS /40' GP
- WB4018P Load Capacity(kg):100
Water Capacity(L):62.7 Sand Capacity(CBF):4
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h: 1460 × 450 × 560 × 930 × 700 × 220
QTY: 1000 PCS /40' GP
- WB4019 Load Capacity(kg):100
Water Capacity(L):62.7 Sand Capacity(CBF):4
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h: 1460 × 450 × 560 × 940 × 715 × 210
QTY: 1000 PCS /40' GP
- WB4032 Load Capacity(kg):100
Water Capacity(L):62.7 Sand Capacity(CBF):4
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h: 1460 × 515 × 535 × 925 × 680 × 200
QTY: 800 PCS /40' GP
- WB4501 Load Capacity(kg):160
Water Capacity(L):66 Sand Capacity(CBF):4.5
Wheel: 13 " × 3 " Solid
L/H/C/A/B/h: 1440 × 485 × 517 × 898 × 636 × 298
QTY: 2000 PCS /40' GP
- WB4502 Load Capacity(kg):160
Water Capacity(L):66 Sand Capacity(CBF):4.5
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1440 × 480 × 510 × 898 × 636 × 298
QTY: 2000 PCS /40' GP
- WB4503 Load Capacity(kg):160
Water Capacity(L):66 Sand Capacity(CBF):4.5
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h: 1470 × 445 × 520 × 898 × 636 × 298
QTY: 2000 PCS /40' GP
- WB4505 Load Capacity(kg):160
Water Capacity(L):66 Sand Capacity(CBF):4.5
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h: 1450 × 490 × 520 × 898 × 636 × 298
QTY: 1000 PCS /40' GP
- WB4506 Load Capacity(kg):160
Water Capacity(L):66 Sand Capacity(CBF):4.5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h: 1520 × 525 × 550 × 900 × 620 × 260
QTY: 1000 PCS /40' GP
- WB4507 Load Capacity(kg):160
Water Capacity(L):66 Sand Capacity(CBF):4.5
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1450 × 630 × 540 × 900 × 620 × 260
QTY: 1000 PCS /40' GP



WB4507P
Load Capacity(kg):150
Water Capacity(L):66
Sand Capacity(CBF):4.5
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h: 1450×550×555×920×635×240
QTY: 1000 PCS /40' GP



WB4508
Load Capacity(kg):160
Water Capacity(L):66
Sand Capacity(CBF):4.5
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h: 1500×480×555×910×630×230
QTY: 800 PCS /40' GP



WB4508B
Load Capacity(kg):150
Water Capacity(L):66
Sand Capacity(CBF):4.5
Wheel: 13 " × 3.00-8 Air
L/H/C/A/B/h:
1430×535×555×910×630×230
QTY: 720 PCS /40' GP



WB4509P
Load Capacity(kg):150
Water Capacity(L):66
Sand Capacity(CBF):4.5
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h:
1470×445×540×920×635×240
QTY: 800 PCS /40' GP



WB5005
Load Capacity(kg):150
Water Capacity(L):75
Sand Capacity(CBF):4.5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1530×442×560×855×600×280
QTY: 800 PCS /40' GP



WB6002P
Load Capacity(kg):150
Water Capacity(L):84
Sand Capacity(CBF):5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h: 1530×525×530×940×700×310
QTY: 800 PCS /40' GP

WB6003P
Load Capacity(kg):150
Water Capacity(L):95
Sand Capacity(CBF):6
Wheel: 16 " × 4.50-8 Air
L/H/C/A/B/h:
1520×530×530×940×700×310
QTY: 800 PCS /40' GP



WB6005P
Load Capacity(kg):150
Water Capacity(L):106
Sand Capacity(CBF):6
Wheel: 16 " × 6.50-8 Air
L/H/C/A/B/h:
1570×710×500×1030×660×320
QTY: 800 PCS /40' GP



WB6006P
Heavy-Duty Contractor-Style Wheelbarrow
4Wheels for Stability and Maneuverability
Large Plastic Tub Holds 6.5 cu ft
Galvanized Steel Handles With Grips for Comfort
and Control Assembly Required
Load Capacity(kg):150
Water Capacity(L):114
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h: 1475×790×540×980×710×355
QTY: 608 PCS /40' GP



WB6008P
Load Capacity(kg):120
Water Capacity(L):100
Sand Capacity(CBF):6
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h:
1545×565×580×1005×700×310
QTY: 880 PCS /40' GP



WB6009



WB6010



WB6012



WB6101



WB6102



WB6103



WB6104



WB6017AL



WB6017P

- WB6009
Load Capacity(kg):150
Water Capacity(L):100
Sand Capacity(CBF):6
Wheel: 16 " × 4.50-8 Air
L/H/C/A/B/h:
1580×475×535×980×650×370
QTY: 800 PCS /40' GP
- WB6010
Load Capacity(kg):250
Water Capacity(L):100
Sand Capacity(CBF):6
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1750×475×690×1010×700×285
QTY: 400 PCS /40' GP
- WB6012
Load Capacity(kg):150
Water Capacity(L):100
Sand Capacity(CBF):6
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1490×615×590×980×650×370
QTY: 800 PCS /40' GP

- WB6101
Load Capacity(kg):150
Water Capacity(L):100
Sand Capacity(CBF):6
Wheel: 14 " × 3.50-8 Air
L/H/C/A/B/h:
1470×500×550×980×650×370
QTY: 800 PCS /40' GP
- WB6102
Load Capacity(kg):150
Water Capacity(L):100
Sand Capacity(CBF):6
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1510×505×550×980×650×370
QTY: 608 PCS /40' GP
- WB6103
Load Capacity(kg):180
Water Capacity(L):80
Sand Capacity(CBF):6
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1500×560×565×975×630×300
QTY: 800 PCS /40' GP

- WB6104
Load Capacity(kg):150
Water Capacity(L):80
Sand Capacity(CBF):6
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1720×580×560×970×675×340
QTY: 800 PCS /40' GP
- WB6017AL
Load Capacity(kg):150
Water Capacity(L):114
Sand Capacity(CBF):7
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1500×565×550×980×710×365
QTY: 800 PCS /40' GP
- WB6017P
Load Capacity(kg):180
Water Capacity(L):114
Sand Capacity(CBF):7
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1500×565×540×980×710×365
QTY: 800 PCS /40' GP



WB6019

Load Capacity(kg):180

Water Capacity(L):90

Sand Capacity(CBF):6

Wheel: 16 " × 4.00-8 Air

L/H/C/A/B/h: 1495 × 520 × 565 × 980 × 650 × 310

QTY: 800 PCS /40' GP



WB6020

Load Capacity(kg):200

Water Capacity(L):90

Sand Capacity(CBF):6

Wheel: 16 " × 6.50-8 Air

L/H/C/A/B/h: 1430 × 685 × 545 × 980 × 650 × 310

QTY:480 PCS /40' GP



WB6018

Load Capacity(kg):180

Water Capacity(L):90

Sand Capacity(CBF):6

Wheel: 16 " × 4.00-8 Air

L/H/C/A/B/h:

1585 × 575 × 530 × 980 × 650 × 310

QTY: 750 PCS /40' GP

WB6024

Load Capacity(kg):180

Water Capacity(L):90

Sand Capacity(CBF):6

Wheel: 16 " × 4.00-8 Air

L/H/C/A/B/h:

1505 × 500 × 565 × 980 × 650 × 310

QTY: 800 PCS /40' GP



WB6022

Load Capacity(kg):180

Water Capacity(L):90

Sand Capacity(CBF):6

Wheel: 16 " × 4.00-8 Air

L/H/C/A/B/h:

1535 × 475 × 545 × 1030 × 685 × 325

QTY: 800 PCS /40' GP



WB6021

Load Capacity(kg):150

Water Capacity(L):114

Sand Capacity(CBF):7

Wheel: 16 " × 4.00-8 Air

L/H/C/A/B/h:

1475 × 750 × 550 × 980 × 710 × 365

QTY: 800 PCS /40' GP



WB6025

Load Capacity(kg):180

Water Capacity(L):90

Sand Capacity(CBF):6

Wheel: 16 " × 4.00-8 Air

L/H/C/A/B/h:

1620 × 445 × 595 × 980 × 650 × 310

QTY: 800 PCS /40' GP



WB6026



WB6110



WB6111P



WB6112P



WB6113



WB6116P



WB6115P

- WB6026
Load Capacity(kg):180
Water Capacity(L):90
Sand Capacity(CBF):6
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1400 × 635 × 575 × 865 × 605 × 280
QTY: 800 PCS /40' GP
- WB6110
Load Capacity(kg):180
Water Capacity(L):97
Sand Capacity(CBF):6
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1420 × 645 × 535 × 950 × 690 × 300
QTY: 840 PCS /40' GP
- WB6111P
Load Capacity(kg):150
Water Capacity(L):84
Sand Capacity(CBF):5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1710 × 465 × 680 × 1020 × 680 × 340
QTY: 800 PCS /40' GP
- WB6112P
Load Capacity(kg):150
Water Capacity(L):84
Sand Capacity(CBF):5
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1580 × 535 × 700 × 1020 × 680 × 340
QTY: 800 PCS /40' GP
- WB6113
Load Capacity(kg):180
Water Capacity(L):90
Sand Capacity(CBF):6
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1490 × 800 × 575 × 980 × 650 × 310
QTY: 800 PCS /40' GP
- WB6115P
Load Capacity(kg):150
Water Capacity(L):106
Sand Capacity(CBF):6
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1530 × 455 × 520 × 1030 × 660 × 320
QTY: 800 PCS /40' GP
- WB6116P
Load Capacity(kg):150
Water Capacity(L):106
Sand Capacity(CBF):6
Wheel: 16 " × 4.00-8 Air
L/H/C/A/B/h:
1490 × 480 × 585 × 1030 × 660 × 320
QTY: 800 PCS /40' GP



WB7003

Load Capacity(kg):200

Water Capacity(L):100

Sand Capacity(CBF):7

Wheel: 16 " × 6.50-8 Air

L/H/C/A/B/h: 1530 × 500 × 550 × 980 × 635 × 335

QTY: 800 PCS /40' GP



WB7001

Capacity: 150 kgs

Overall size: (L)1530 X (W) 678 X (H) 310

Weight: 22 kgs

Water Capacity: 100 L

Sand Capacity: 7CBF

Wheel: 16X6.50-8

QTY: 800 PCS /40' GP



WB7002A

Load Capacity(kg):180

Water Capacity(L):100

Sand Capacity(CBF):7

Wheel: 16 " × 4.00-8 Air

L/H/C/A/B/h: 1525 × 610 × 565 × 945 × 645 × 320

QTY: 800 PCS /40' GP



WB7004



WB7006

● WB7004

Load Capacity(kg):150

Water Capacity(L):97

Sand Capacity(CBF):6

Wheel: 16 " × 4.00-8 Air

L/H/C/A/B/h: 1560 × 480 × 480 × 980 × 650 × 370

QTY: 800 PCS /40' GP

● WB7006

Load Capacity(kg):200

Water Capacity(L):100

Sand Capacity(CBF):7

Wheel: 16 " × 4.00-8 Air

L/H/C/A/B/h: 1595 × 540 × 540 × 975 × 665 × 280


QTY: 800 PCS /40' GP



WB7007P
 Load Capacity(kg):200
 Water Capacity(L):100
 Sand Capacity(CBF):7
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h: 1540 × 620 × 560 × 980 × 685 × 340
 QTY: 800 PCS /40' GP



WB7008P
 Load Capacity(kg):150
 Water Capacity(L):109
 Sand Capacity(CBF):6
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h: 1500 × 340 × 580 × 1030 × 680 × 325
 QTY: 608 PCS /40' GP



WB9501P
 Load Capacity(kg):250
 Water Capacity(L):114
 Sand Capacity(CBF):7
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h:
 1565 × 495 × 545 × 980 × 710 × 380
 QTY: 800 PCS /40' GP



WB9502P
 Load Capacity(kg):200
 Water Capacity(L):114
 Sand Capacity(CBF):7
 Wheel: 16 " × 4.00-8 FP
 L/H/C/A/B/h:
 1495 × 615 × 545 × 980 × 710 × 380
 QTY: 750 PCS /40' GP



WB9503P
 Load Capacity(kg):200
 Water Capacity(L):114
 Sand Capacity(CBF):7
 Wheel: 16 " × 4.00-8 FP
 L/H/C/A/B/h:
 1495 × 545 × 540 × 980 × 710 × 380
 QTY: 1000 PCS /40' GP



WB1001P
 Load Capacity(kg):250
 Water Capacity(L):130
 Sand Capacity(CBF):10
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h:
 1500 × 460 × 550 × 1100 × 885 × 490
 QTY: 608 PCS /40' GP



WB1002P
 Load Capacity(kg):250
 Water Capacity(L):130
 Sand Capacity(CBF):10
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h:
 1795 × 645 × 580 × 1100 × 885 × 490
 QTY: 600 PCS /40' GP



WB1003P
 Load Capacity(kg):200
 Water Capacity(L):130
 Sand Capacity(CBF):10
 Wheel: 16 " × 4.00-8 Air
 L/H/C/A/B/h:
 1602 × 550 × 595 × 1100 × 885 × 490
 QTY: 600 PCS /40' GP